CooperSurgical®

Premier Products for Women's Healthcare

Clinic & Practice-Based Products Catalog



Helping you create stronger relationships with patients

CooperSurgical®



We are committed to supporting healthcare professionals in strengthening the vital connection between women and their OB/Gyn. Our comprehensive portfolio supports the patient journey, from contraception and stem cell planning to diagnosing and treating conditions such as abnormal uterine health, fertility challenges, and pelvic floor disorders, including incontinence. By partnering with you, we strive to enable personalized care, improve outcomes, and enhance the quality of life for every patient.

Clinic and Practice-Based Brands

CooperSurgical® is empowering office-based care with an expanded portfolio of innovative devices and products. Within this catalog, you will find an extensive range of instruments and devices that can be used in your practice to improve patient care.

Endosee® Advance

Milex®

LEEP PRECISION™

Fischer Cone Biopsy Excisor®

Pipelle®

Leisegang™

ER-Spec®

Her-Spec®

Euro-Med®

H/S Elliptosphere®

Paragard® Intrauterine Copper Contraceptive

Cord Blood Registry℠

Wallach®

Table of Contents

In-Office Hysteroscopy
Endosee® Advance 6

Milex® Pessaries
Milex® Pessaries for Prolapse and Incontinence 8-11

LEEP
LEEP PRECISION™ Integrated System 12-13
LEEP Electrodes 14-15
Fischer Cone Biopsy Excisor® 16
LEEP Procedure Essentials 17
LEEP System Accessories 18-19
Euro-Med® LEEP Instruments 20-21
Coated Retractors 22
LEEP Tenacula, Hooks and Rulers 24-25
Wallach® Electrosurgical System & Accessories 26-27

Colposcopy
Leisegang OptiK® Series 28-31
OptiK Model 1 28-29
OptiK Model 2 30-31
Wallach® Zoom Magnification Colposcopes 32

Gynecological Specialty Instruments
Lighted Specula – Vaginal and Anal 34-35
Euro-Med® Stainless Steel Biopsy Punches 36-37
Euro-Med® Rotating Biopsy Punch Handles 38
Euro-Med® Standard Biopsy Punches 38-39
Euro-Med® Stainless Steel Specula 40-43
Euro-Med® Stainless Steel Endocervical Specula 44-45
Euro-Med® Stainless Steel Lateral Wall Retractors 46
Euro-Med® Stainless Steel Uterine Sounds and Dilators . . . 48-49
Euro-Med® Stainless Steel Curettes 50-51
Euro-Med® Stainless Steel Hooks 52
Euro-Med® Stainless Steel Cervical Tenacula 53
Euro-Med® Stainless Steel Forceps 54-56
Euro-Med® Stainless Steel Needle Holders 56
Euro-Med® Stainless Steel Scissors 57

Endometrial Samplers 58

Reusable Dilators 60

Disposable Sound and Dilators 61

General Examination: Diagnostic Disposables
Cervical and Endocervical Samplers 62
Diagnostic Disposables 63

Cervical Cryosurgery
Leisegang™ LM-900 Cryosurgery System 64-65
Cryosurgical Systems 66-67

Fertility and Family Planning
H/S Elliptosphere Catheters 68
Fertility Assessment 68
H/S Catheters 69
Paragard® Intrauterine Copper Contraceptive 70-71

CBR® Newborn Stem Cell Preservation 72

Obstetrical Care
Fetal Monitors 73
Obstetrical Dopplers and Probes 74-75

Vascular Assessment
Vascular Dopplers and Probes 76-77
ABI Vascular Systems 78-81

Dermatologic Cryosurgery
Ophthalmic Cryosurgery 82
UltraFreeze™ 83

Index/Customer Service 84-85

Warranty Information 85

CE Available for sale where CE mark is required
CA Available for sale in Canada


Office Hysteroscopy

Endosee® Advance

In-Office Diagnostic Hysteroscopy Device

Direct visualization system for diagnostic and therapeutic procedures.





Endosee® Advance

NUMBER	DESCRIPTION	
ES9000	Endosee Advance Display Module, 1/Box	CA CE
ESPX5	Endosee Advance Cannula, Compatible with ES9000 only, 5/Box	CA CE
ES-TRAY	Endosee Advance Convenience Kit, 5/Box	
ES-TRAY-IV	Endosee Advance IV Convenience Kit, 5/Box	
REUSABLE INSTRUMENTS (STAINLESS STEEL)		
ES-BPSY	Biopsy Forceps, 5 Fr, 455 mm, 1/Box	
ES-LNGR	Spoon Forceps, Long Serrated, 5 Fr, 455 mm, 1/Box	
ES-SCIS	Scissors, Single Action, 5 Fr, 455 mm, 1/Box	
SINGLE-USE INSTRUMENTS (STERILE)		
ES-DISP-AGR	Disposable Alligator Grasper Forceps, 5 Fr, 460 mm, 5/Box	
ES-DISP-BPY	Disposable Biopsy Forceps, 5 Fr, 460 mm, 5/Box	
ES-DISP-SCS	Disposable Single Action Scissors, 5 Fr, 460 mm, 5/Box	
ES-DISP-10-BL	Disposable Retrieval Snare, 5 Fr, 465 mm, 5/Box	
ES-DISP-15-BL	Disposable Retrieval Snare, 5 Fr, 473 mm, 5/Box	

Biopsy Forceps
ES-BPSY



Spoon Forceps, Long Serrated
ES-LNGR



Scissors, Single Action
ES-SCIS



Disposable Alligator Grasper Forceps
ES-DISP-AGR

Disposable Biopsy Forceps
ES-DISP-BPY

Disposable Single Action Scissors
ES-DISP-SCS

Disposable Retrieval Snare
ES-DISP-10-BL
ES-DISP-15-BL



Milex® Pessaries for Prolapse & Incontinence

P = Prolapse I = Incontinence



Pessary Fitting Kit

NUMBER	DESCRIPTION
MXFIT-CO	Pessary Fitting Set Case and Tray only (no pessaries)
MXFIT-CA CA CE	Pessary Fitting Set

Parts & Accessories

NUMBER	DESCRIPTION	IN.	MM
MXFIT0012 CA CE	Fitting Gellhorn Flexible	2¼	57
MXFIT0013 CA CE	Fitting Gellhorn Flexible	2½	64
MXFIT0014 CA CE	Fitting Gellhorn Flexible	2¾	70
MXFIT0015 CA CE	Fitting Gellhorn Flexible	3	76
MXFIT0016 CA	Fitting Gellhorn Short Stem Flexible	2¼	57
MXFIT0017 CA	Fitting Gellhorn Short Stem Flexible	2½	64
MXFIT0018 CA	Fitting Gellhorn Short Stem Flexible	2¾	70
MXFIT0019 CA	Fitting Gellhorn Short Stem Flexible	3	76
MXFIT0020 CA CE	Fitting Ring with support #2	2¼	57
MXFIT0021 CA CE	Fitting Ring with support #3	2½	64
MXFIT0022 CA CE	Fitting Ring with support #4	2¾	70
MXFIT0023 CA CE	Fitting Ring with support #5	3	76
MXFIT0024 CA CE	Fitting Ring with support #6	3¼	83
MXFIT0025 CA CE	Fitting Ring with support #7	3½	89

NUMBER	DESCRIPTION	IN.	MM
MXFIT0801 CA CE	Fitting Incont. Dish with support #2	2 9/16	65
MXFIT0802 CA CE	Fitting Incont. Dish with support #3	2¾	70
MXFIT0803 CA CE	Fitting Incont. Dish with support #4	2 15/16	75
MXFIT0804 CA CE	Fitting Incont. Dish with support #5	3⅛	80
MXFIT0805 CA CE	Fitting Donut #2	2½	64
MXFIT0806 CA CE	Fitting Donut #3	2¾	70
MXFIT0807 CA CE	Fitting Donut #4	3	76
MXFIT0808 CA CE	Fitting Donut #5	3¼	83
MXFIT0809 CA CE	Fitting Cube #2	1 3/8	35
MXFIT0810 CA CE	Fitting Cube #3	1½	38
MXFIT0811 CA CE	Fitting Cube #4	1 5/8	41
MXFIT0812 CA CE	Fitting Cube #5	1¾	44

A. Ring

For mild prolapse.

Product # MXPER (Pessary Only)

P

Ring

NUMBER	IN.	MM
MXPER00	1¾	44
MXPER01	2	51
MXPER02	2¼	57
MXPER03	2½	64
MXPER04	2¾	70
MXPER05	3	76

NUMBER	IN.	MM
MXPER06	3¼	83
MXPER07	3½	89
MXPER08	3¾	95
MXPER09	4	102
MXPER10	4¼	108

B. Ring with Knob

For mild prolapse complicated by stress urinary incontinence.

Product # MXPERK (Pessary Only)

P, I

Ring with Knob

NUMBER	IN.	MM
MXPERK00	1¾	44
MXPERK01	2	51
MXPERK02	2¼	57
MXPERK03	2½	64
MXPERK04	2¾	70
MXPERK05	3	76

NUMBER	IN.	MM
MXPERK06	3¼	83
MXPERK07	3½	89
MXPERK08	3¾	95
MXPERK09	4	102
MXPERK10	4¼	108

*Available only while supplies last.

Milex® Pessaries



C. Ring with Support

For mild prolapse complicated by a mild cystocele.

Product # MXPRS (Pessary Only)

P

Ring with Support

NUMBER	IN.	MM
MXPRS00	1¾	44
MXPRS01	2	51
MXPRS02	2¼	57
MXPRS03	2½	64
MXPRS04	2¾	70
MXPRS05	3	76
MXPRS06	3¼	83
MXPRS07	3½	89
MXPRS08	3¾	95
MXPRS09	4	102
MXPRS10	4¼	108

D. Incontinence Ring

For stress urinary incontinence.

Product # MXPCON (Pessary Only)

I

Incontinence Ring

NUMBER	IN.	MM
MXPCON00	1¾	44
MXPCON01	2	51
MXPCON02	2¼	57
MXPCON03	2½	64
MXPCON04	2¾	70
MXPCON05	3	76
MXPCON06	3¼	83
MXPCON07	3½	89
MXPCON08	3¾	95
MXPCON09	4	102
MXPCON10	4¼	108

E. Inflatoball™

Inflatable for 3rd degree prolapse/procidentia with or without a mild cystocele and/or rectocele.

Product # MXPINF (Pessary Only)

P

Inflatoball–Size

NUMBER	IN.	MM
MXPINFS	2	51
MXPINFM	2¼	57
MXPINFL	2½	64
MXPINFXL	2¾	70

F. Shaatz

For mild prolapse complicated by a mild cystocele.

Product # MXPSH (Pessary Only)

P

Shaatz

NUMBER	IN.	MM
MXPSH1-1/2	1½	38
MXPSH1-3/4	1¾	44
MXPSH2-	2	51
MXPSH2-1/4	2¼	57
MXPSH2-1/2	2½	64
MXPSH2-3/4	2¾	70
MXPSH3-	3	76
MXPSH3-1/4	3¼	83
MXPSH3-1/2	3½	89
MXPSH3-3/4	3¾	95

G. Gellhorn

For 3rd degree prolapse/procidentia.

Product # MXPGE (Pessary Only)

Also available in:
Short Stem Product # MXPGSS
Rigid Product # MXPGRS (Pessary Only)

Short Stem

P

Gellhorn

Flexible

NUMBER	IN.	MM
MXPGE1-1/2	1½	38
MXPGE1-3/4	1¾	44
MXPGE2-	2	51
MXPGE2-1/4	2¼	57
MXPGE2-1/2	2½	64
MXPGE2-3/4	2¾	70
MXPGE3-	3	76
MXPGE3-1/4	3¼	83
MXPGE3-1/2	3½	89
MXPGE3-3/4	3¾	95

Short Stem

NUMBER	IN.	MM
MXPGSS1-1/2	1½	38
MXPGSS1-3/4	1¾	44
MXPGSS2-	2	51
MXPGSS2-1/4	2¼	57
MXPGSS2-1/2	2½	64
MXPGSS2-3/4	2¾	70
MXPGSS3-	3	76
MXPGSS3-1/4	3¼	83
MXPGSS3-1/2	3½	89
MXPGSS3-3/4	3¾	95

H. Ring w/ Support & Knob

For mild prolapse complicated by a mild cystocele and stress urinary incontinence.

Product # MXPRSK (Pessary Only)

P, I

Ring w/ Support & Knob

NUMBER	IN.	MM
MXPRSK00	1¾	44
MXPRSK01	2	51
MXPRSK02	2¼	57
MXPRSK03	2½	64
MXPRSK04	2¾	70
MXPRSK05	3	76
MXPRSK06	3¼	83
MXPRSK07	3½	89
MXPRSK08	3¾	95
MXPRSK09	4	102
MXPRSK10	4¼	108

I. Donut

Support for 3rd degree prolapse/procidentia. Not to be deflated during insertion or removal. See Inflatoball if a deflatable pessary is necessary.

Product # MXPDO (Pessary Only)

P

Donut

NUMBER	IN.	MM
MXPDO00	2	51
MXPDO01	2¼	57
MXPDO02	2½	64
MXPDO03	2¾	70
MXPDO04	3	76
MXPDO05	3¼	83
MXPDO06	3½	89
MXPDO07	3¾	95

Milex® Pessaries

Milex® Pessaries for Prolapse & Incontinence


P = Prolapse I = Incontinence




A.




B.




C.



D.



E.



A. Incontinence Dish

For stress urinary incontinence with mild prolapse.

Product # MXPCOND (Pessary Only)

P, I

B. Incontinence Dish w/Support

For stress urinary incontinence with mild prolapse and a mild cystocele.

Product # MXPCONDS (Pessary Only)

P, I

Incontinence Dish

Dish	Dish w/ Support		
NUMBER	NUMBER	IN.	MM
MXPCOND00	MXPCONDS00	2 1/8	55
MXPCOND01	MXPCONDS01	2 3/8	60
MXPCOND02	MXPCONDS02	2½	65
MXPCOND03	MXPCONDS03	2¾	70
MXPCOND04	MXPCONDS04	3	75
MXPCOND05	MXPCONDS05	3 1/8	80
MXPCOND06	MXPCONDS06	3 3/8	85

C. Gehrung with Knob/Folding

For cystocele with or without mild rectocele complicated by stress urinary incontinence.

Product # MXPGSK (Pessary Only)

I

D. Gehrung/Folding

Support for cystocele and rectocele. It is also more adaptable in cases of procidentia where the uterus tends to herniate when other pessaries are used.

Product # MXPGS (Pessary Only)

P

Gehrung

Gehrung w/Knob/Folding	Gehrung Folding						
NUMBER	NUMBER	IN. (A)	MM (A)	IN. (B)	MM (B)	IN. (C)	MM (C)
MXPGSK00	MXPGS00	1 1/16	27	1½	38	1 3/8	35
MXPGSK01	MXPGS01	1 1/8	29	1¾	44	1 ½	38
MXPGSK02	MXPGS02	1 3/8	35	2	51	1 5/8	41
MXPGSK03	MXPGS03	1 ½	38	2 1/8	54	1 ¾	44
MXPGSK04	MXPGS04	1 5/8	41	2 ¼	57	1 7/8	48
MXPGSK05	MXPGS05	1 ¾	44	2 3/8	60	2	51
MXPGSK06	MXPGS06	1 7/8	48	2 ½	64	2 1/8	54
MXPGSK07	MXPGS07	2	51	2 7/8	73	2 ¼	57
MXPGSK08	MXPGS08	2 1/8	54	3	76	2 3/8	60

E. Cube

Support for 3rd degree prolapse/procidentia. Should be removed nightly.

Product # MXPEC (Pessary Only)

Also available in:
Cube with Drainage Holes
Product # MXPECH (Pessary Only)

P, I

Cube

Cube	w/ Holes		
NUMBER	NUMBER	IN.	MM
MXPEC00	MXPECH00	1	25
MXPEC01	MXPECH01	1 3/16	30
MXPEC02	MXPECH02	1 3/8	35
MXPEC03	MXPECH03	1 ½	38
MXPEC04	MXPECH04	1 5/8	41
MXPEC05	MXPECH05	1¾	44
MXPEC06	MXPECH06	2	51
MXPEC07	MXPECH07	2¼	57

LEEP PRECISION™ Integrated System

Loop Electrosurgical Excision Procedures



Fully integrated and mobile, the LEEP PRECISION System combines three components – Cart, Generator and Smoke Evacuator.





LEEP PRECISION Integrated System

NUMBER	DESCRIPTION	
LP-10-120	LEEP PRECISION Integrated System, 120V	CA
LP-10-220	LEEP PRECISION Integrated System, 220V International	CE

LEEP PRECISION Generator

NUMBER	DESCRIPTION	
LP-20-120	LEEP PRECISION Generator, 120V	CA
LP-20-220	LEEP PRECISION Generator, 220V International	CE

LEEP PRECISION Smoke Evacuator

NUMBER	DESCRIPTION	
LP-30-120	LEEP PRECISION Smoke Evacuator, 120V, Stand-Alone	CA
LP-30-220	LEEP PRECISION Smoke Evacuator, 220V, Stand-Alone International	CE

LEEP PRECISION Cart

NUMBER	DESCRIPTION	
LP-40-001	LEEP PRECISION Cart	CA CE

LEEP PRECISION Generator Disposables

NUMBER	DESCRIPTION	
LP-50-101	Hand Switch-Operated Push-Button Cautery Pencils (10/Box)	CA
LP-50-102	Foot Pedal-Operated Cautery Pencils (10/Box)	CA
LP-50-103	Foot Pedal Adapter (1/Bag)	CA
LP-50-201	Dual Dispersive Electrodes with Connector (10/Box)	CA
LP-50-203	Reusable Cable (1/Bag)	CA

LEEP PRECISION Smoke Evacuator Disposables


NUMBER	DESCRIPTION	
52560	Smoke Evacuator Pre-Filter, Single-Patient Use (10/Bag)	CA
6082	Smoke Evacuator ULPA Filter (1/Box)	CA
6083	Smoke Evacuator Reducer, Single-Patient Use (10/Bag)	CA
6084	Smoke Evacuator Tubing – 6 ft. long, 1/2 in. OD (Sterile, Single-Patient Use) (10/Box)	CA


LEEP

LEEP Electrodes

(Shown Actual Size)

Our broad selection of 21 different offerings includes loops, squares, needle and ball tips specifically designed for loop electrosurgical excision procedures.





Large-Radius Loop Electrodes ≥ 2 cm Wide CA CE

NUMBER	DESCRIPTION
R2510	2.5 cm W x 1.0 cm D • 12 cm shaft (5/Box)
R2020	2.0 cm W x 2.0 cm D • 12 cm shaft (5/Box)
R2015	2.0 cm W x 1.5 cm D • 12 cm shaft (5/Box)
R2010	2.0 cm W x 1.0 cm D • 12 cm shaft (5/Box)
R2008	2.0 cm W x 0.8 cm D • 12 cm shaft (5/Box)

Medium-Radius Loop Electrodes <2 cm Wide CA CE

NUMBER	DESCRIPTION
R1515	1.5 cm W x 1.5 cm D • 12 cm shaft (5/Box)
R1507	1.5 cm W x 0.7 cm D • 12 cm shaft (5/Box)
R1505	1.5 cm W x 0.5 cm D • 12 cm shaft (5/Box)
R1010	1.0 cm W x 1.0 cm D • 12 cm shaft (5/Box)
R1007	1.0 cm W x 0.7 cm D • 12 cm shaft (5/Box)

Square Electrodes CA CE

NUMBER	DESCRIPTION
S1010	1.0 cm W x 1.0 cm D 12 cm shaft (5/Box)
S1007	1.0 cm W x 0.7 cm D 5.5 cm shaft 15° bend (5/Box)
S1004	1.0 cm W x 0.4 cm D 5.5 cm shaft 15° bend (5/Box)
V1004	1.0 cm W x 0.4 cm D 8 cm shaft (5/Box)

Needle Electrodes CA CE

NUMBER	DESCRIPTION
N1200	0.8 mm D x 16 mm 12 cm shaft (5/Box)
N0550	0.8 mm D x 16 mm 5.5 cm shaft (5/Box)
N2512	0.25 mm D x 8 mm 12 cm shaft (5/Box)
N2555	0.25 mm D x 5 mm 5.5 cm shaft (5/Box)

Ball Electrodes CA CE

NUMBER	DESCRIPTION
B0512	5 mm D 12 cm shaft (5/Box)
B0555	5 mm D 5.5 cm shaft (5/Box)
B0312	3 mm D 12 cm shaft (5/Box)

Fischer Cone Biopsy Excisor®


For Cone Biopsy Procedures

The Fischer Cone Biopsy Excisor (FCBE) comes in a variety of sizes and shapes.

Fischer Cone Biopsy Excisor CA CE

NUMBER	DESCRIPTION
900-150	Fischer Cone Biopsy Excisor, Small (5/Box)
900-151	Fischer Cone Biopsy Excisor, Medium (5/Box)
900-152	Fischer Cone Biopsy Excisor, Large (5/Box)
900-154	Fischer Cone Biopsy Excisor, Medium Extended (5/Box)
900-155	Fischer Cone Biopsy Excisor, Large Shallow (5/Box)
900-156	Fischer Cone Biopsy Excisor, Mixed Set (S, M, ME, L & LS) 1 each (5/Box)
900-157	Fischer Cone Biopsy Excisor, Small Wide-Angle (5/Box)
900-158	Fischer Cone Biopsy Excisor, Small Wide-Angle Extended (5/Box)





LEEP Procedure Essentials



Potocky Needle®

27-gauge Potocky Needle. The Potocky Needle attaches to a "dental style" cartridge syringe, while the Potocky Needle with Luer Lock is used with a standard medical syringe.

NUMBER	DESCRIPTION
6066	Potocky Needles (6/Box)
6166	Potocky Needles with Luer Lock (6/Box)



Needle Extension

NUMBER	DESCRIPTION
433-132	Needle Extension • 10 cm (1/Box)
433-133	Needle Extension • 13 cm (1/Box)
433-134	Needle Extension • 15 cm (1/Box)

LEEP System Accessories



Foot Pedal, LEEP System 1000

Featuring pneumatic, air-operated control, the foot pedal does not use electric current.

NUMBER	DESCRIPTION
6032	Foot Pedal for LEEP System 1000



Handpiece, Single-Patient Use CA

The sterile, single-patient use handpiece works with any of our disposable electrodes. The wand is operated with a footswitch.

NUMBER	DESCRIPTION
6040	Handpiece, Single-Patient Use (10/Box)

Patient Return Pad Adapter LEEP System 1000



This reusable replacement adapter connects the single-use Patient Return Pad to the LEEP System 1000.

NUMBER	DESCRIPTION
23635	Patient Return Pad Adapter for LEEP System 1000 (for use with 6050P1 pads)



Return Pad, Single-Patient Use CA

Non-sterile patient return pads.

NUMBER	DESCRIPTION
6050P1	LEEP Return Pad, Single-Patient Use (10/Box)



Disposable Smoke Evacuator (DSE) Tubing

Non-sterile single-use, DSE tubing is designed to work specifically with the LEEP rose-coated specula. The 9-inch DSE tubing is flexible and noncombustible and contains no harmful PVC.

Also available as a set with 6 feet of tubing. See Tubing Set, Single-Patient Use, product item number 6084.

NUMBER	DESCRIPTION
6150	Disposable Smoke Evacuator Tubing – 9" straw (50/Bag)

LEEP Accessories



Tubing Set, Single-Patient Use CA

Each set includes 6 feet of sterile disposable tubing and a DSE (Disposable Smoke Evacuator) tube. This set completes the connection between the reducer and the specula.

NUMBER	DESCRIPTION
6084	Smoke Evacuator Tubing – 6 ft. long, 1/2 in. OD (Sterile, Single-Patient Use) (10/Box)



Reducer CA

Disposable, single-patient use reducer connects the Pre-Filter (52560) with the Patient Tubing Set (6084) on the Smoke Evacuator.

NUMBER	DESCRIPTION
6083	Smoke Evacuator Reducer (10/Box)



Pre-Filter CA

Replacement filters for the CooperSurgical Smoke Evacuator. Used to eliminate smoke odor.


NUMBER	DESCRIPTION
52560	Smoke Evacuator Pre-Filter (10/Box)



ULPA Filter CA

Used with the Smoke Evacuator.

NUMBER	DESCRIPTION
6082	Smoke Evacuator ULPA Filter (1/Box)



Compatible Disposable Accessories

See your local sales representative for more information.

NUMBER	DESCRIPTION
395-210	Electrode Tip Cleanser, Disposable (24/Box)
395-302	Conductive Electrode Pads, Disposable for ESU (25/Box)
395-305	Conductive Electrode Pads, Dual Dispersive, Disposable (25/Box) Plus II Gen.
395-310	Hand-Switch Pencil and Cord, Disposable (25/Box)
72308	Dual Section Grounding Pads (10/Box)
72102	Filter/Hose Set for Smoke Evacuator (Pack of 3)
72311	Patient Return Cable

Euro-Med® LEEP Instruments

These nonconductive, fully autoclavable LEEP instruments are offered in a variety of styles to facilitate cervical tissue excision and removal.



Pederson LEEP Specula

NUMBER	DESCRIPTION	SIZE MM
F223	Small	W13 L81
F221	Medium	W22 L114
F220	Large	W25 L120



Vu-More™ LEEP Specula

NUMBER	DESCRIPTION	SIZE MM
F217	Medium	W33 L113
F215	Large	W35 L127



Vu-Max™ LEEP Specula

NUMBER	DESCRIPTION	SIZE MM
F222	Pederson Medium	W22 L114
F224	Pederson Large	W25 L120
F218	Graves Medium	W33 L113
F219	Graves Large	W35 L127



Mini Vu-More™ LEEP Specula

NUMBER	SIZE MM
F250	W34 L93

(W=Distal End) (L=Penetration Length)



Open-Sided LEEP Specula

NUMBER	SIZE MM
F210	W35 L107



Auvard Surgical Specula

NUMBER	DESCRIPTION	SIZE MM
F230	Medium (Wide/ Short Blade)	W43 L55
F232	Large (Narrow/Long Blade)	W35 L90



Pederson LEEP Specula (with Integrated Smoke Tube)

NUMBER	DESCRIPTION	SIZE MM
61521	Small	W16 L84
61518	Medium	W22 L114
61519	Large	W26 L121



Graves LEEP Specula (with Integrated Smoke Tube)

NUMBER	DESCRIPTION	SIZE MM
61513	Small	W22 L87
61514	Medium	W33 L113
61515	Large	W35 L125




Graves LEEP Specula

NUMBER	DESCRIPTION	SIZE MM
F205	Medium	W33 L113
F200	Large	W35 L127




Snowman Specula™

NUMBER	DESCRIPTION	SIZE MM
F107	Graves Blade	W35 L152
F117	Pederson Blade	W25 L152



Euro-Med® LEEP Instruments



Tru-View™ LEEP Lateral Wall Retractor

NUMBER	DESCRIPTION	SIZE MM
F317	Lateral Wall Retractor	W32 L190



Jackson LEEP Retractor

NUMBER	DESCRIPTION	SIZE MM
F235	Medium	W40 L89
F234	Large	W40 L108



Cer-View™ LEEP Lateral Wall Retractor

NUMBER	DESCRIPTION	SIZE MM
F410	Medium	W22 L142
F420	Large	W22 L155



Euro-Med® LEEP Tenacula, Hooks and Rulers



LEEP Ring Forceps

NUMBER	INSTRUMENT LENGTH
F920	220 mm



LEEP Tissue Forceps

NUMBER	INSTRUMENT LENGTH
F700	210 mm



LEEP Campion Forceps

NUMBER	INSTRUMENT LENGTH
F925	220 mm



LEEP Single-Tooth Tenaculum

NUMBER	INSTRUMENT LENGTH
F900	240 mm



LEEP Emmett Tenaculum

NUMBER	INSTRUMENT LENGTH
F805	250 mm



LEEP Two-Prong Hook

NUMBER	INSTRUMENT LENGTH
F802	260 mm



LEEP Three-Prong Hook

NUMBER	INSTRUMENT LENGTH
F803	260 mm



LEEP Iris Hook

NUMBER	INSTRUMENT LENGTH
F800	263 mm



LEEP Hook

NUMBER	INSTRUMENT LENGTH	
F810	Straight	250 mm
F812	Left-Angled	250 mm
F813	Right-Angled	250 mm



LEEP Depth Ruler

NUMBER	INSTRUMENT LENGTH
F600	240 mm



LEEP Width Ruler


NUMBER	INSTRUMENT LENGTH
F610	210 mm

LEEP Endocervical Specula



Large


NUMBER	TIP SIZE	LENGTH
F500	5 mm	273 mm



Medium

NUMBER	TIP SIZE	LENGTH
F510	4 mm	273 mm


Electrosurgical System Accessories for Wallach® Quantum 2000™



Foot Pedal–Operated Pencils

Sterile, single-use only. For use with Quantum 2000™ and other comparable electrosurgical generators. Reusable adapter required. Use with any standard disposable electrodes.

NUMBER	DESCRIPTION
909028	Foot Pedal-Operated Pencils, Sterile (25 per Box)



Disposable Split Grounding Pads (with Connector)

For use with Quantum 2000™.

NUMBER	DESCRIPTION
909078	Disposable Split Grounding Pads with Connector (10 per Box)



Disposable Smoke Evacuator Tubing with Attached Speculum Tubing

Sterile, single-use six-foot-long tubing connects to the smoke evacuator filter assembly.

NUMBER	DESCRIPTION
920002	Disposable Smoke Evacuator Tubing with Speculum Tubing (10 per Box)



Disposable Smoke Evacuator Speculum Tubing (Non-Sterile)

NUMBER	DESCRIPTION
920001	Disposable Speculum Tubing (50 per Box)



Colposcopy

Leisegang OptiK® Model 1

Optical Devices Designed for Non Contact Visualization of the Tissues of the Cervix, Vulva, Vagina, And Anogenital Areas




High-Intensity
LED Illumination



LEISEGANG OptiK® Model 1

NUMBER	DESCRIPTION
OPTIK1-00	Leisegang OptiK Model 1 Tilt Colposcope (1DL LED): 3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, Tilt Base
OPTIK1-01	Same as OPTIK1-00 except with Upright Rolling Base
OPTIK1-02	Same as OPTIK1-00 except with medium-weight Swing-Arm Rolling Base
OPTIK1-03	Same as OPTIK1-00 except with heavy-weight Balance-O-Matic Rolling Base

Four Base Choices:



Tilt Base
OPTIK1-00



Upright Rolling Base
OPTIK1-01



Swing-Arm Rolling Base
OPTIK1-02



Balance-O-Matic Rolling Base
OPTIK1-03

Colposcopy

Leisegang OptiK® Model 2




OptiK Model 2 with a Digital SLR Camera

OptiK Model 2 with an Integrated Camera

Three Base Choices:

OptiK Model 2 is available in three base configurations including Upright, Swing-Arm and Balance-O-Matic. The OptiK Model 2 features a working distance of 300 mm, field of view of 19 mm to 76 mm, and depth of field of 2 mm to 8 mm.



Upright Rolling Base
OPTIK2-03-002



Swing-Arm Rolling Base
OPTIK2-04-002



Balance-O-Matic Rolling Base
OPTIK2-05-002

Leisegang OptiK® Model 2 Sales Configuration Options:

LEISEGANG OptiK® Model 2, Base and dSLR Camera CA CE

NUMBER	DESCRIPTION
OPTIK2-03-002	3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, 1.0" CCD optimized, medium-weight Upright Rolling Base, T2 adapter/tubus, Canon camera kit, battery, charger, USB wire, A/C adapter, wired remote and memory card
OPTIK2-04-002	Same as OPTIK2-03-002 except with Swing Arm Rolling Base
OPTIK2-05-002	Same as OPTIK2-03-002 except with heavy-weight Balance-O-Matic Rolling Base

OptiK Model 2 Accessories

Cameras and Monitors

NUMBER	DESCRIPTION
53576	Canon® Camera Kit for OptiK Model 2 1.0" CCD only
23676FG	Foot Pedal for Canon Camera

Wallach® Zoom Magnification Colposcopes

Continuously Variable Nikon® 4.5 – 20X Zoom, Trulight LED Lighting

ZOOMSCOPE® with Trulight™

ZoomScope® with Trulight™ CA

NUMBER	DESCRIPTION
906043-SP-3	ZoomScope Overhead arm colposcope Quantum series. Smart purchase package: includes a set of sterilizable handles, a set of sterilizable knob covers for zoom and focus, dust cover; 3-leg base and seven year warranty
906043-SP-4	ZoomScope with Trulight and 4-Leg Base
906043-40TU-5	ZoomScope Trulight Video, Digital USB Camera
906057T	ZoomStar with Trulight
906057-40TU	ZoomStar with Trulight Video



ZoomScope® with Trulight™, Overhead Suspension Arm

ZoomStar® with Trulight™, on a Compact Mobile Stand



Gynecological Specialty Instruments

Lighted Specula – Vaginal and Anal



ER-Spec®

Single-use vaginal speculum with integrated LED light source.

NUMBER	DESCRIPTION
C020130-1	ER-Spec® (Extra-Small)
C020100-1	ER-Spec® (Small)
C020110-1	ER-Spec® (Medium)
C020120-1	ER-Spec® (Large)
C020140-1	ER-Spec® (Extra-Large)
C020300	ER-Spec® (Small -Sterile)
C020310	ER-Spec® (Medium - Sterile)
C020320	ER-Spec® (Large - Sterile)



Her-Spec®

Single-use click-free vaginal speculum with integrated LED light source.

NUMBER	DESCRIPTION
C020500	Her-Spec® Small, Non-Sterile (1 Box of 16)
C020510	Her-Spec® Medium, Non-Sterile (1 Box of 16)
C020520	Her-Spec® Large, Non-Sterile (1 Box of 14)
C020600	Her-Spec® Small, Sterile (1 Box of 10)
C020610	Her-Spec® Medium, Sterile (1 Box of 8)
C020620	Her-Spec® Large, Sterile (1 Box of 8)

Accessories

NUMBER	DESCRIPTION
C040100	OfficePack® for Hysteroscopy (1 Box of 5)
C050100	Fluid Management Pack (1 Box of 5)
C070100	Vaginal Exam Pack (1 Box of 20)
C070110	IUD Pack (1 Box of 10)



OfficeSpec®

Single-use right side-opening vaginal speculum with integrated LED light source.

NUMBER	DESCRIPTION
C020001	OfficeSpec® (Right Side-Opening Medium)



Anospec®

Single-use speculum designed to aid in the examination of the anus to screen, diagnose, evaluate, and treat problems of the anal canal.

NUMBER	DESCRIPTION
C060100	Anospec®, 90 mm x 18 mm slotted, Non-Sterile (1 Box of 20)
C060110	Anospec®, 96 mm x 23 mm slotted, Non-Sterile (1 Box of 16)
C060120	Anospec®, 103 mm x 18 mm beveled, Non-Sterile (1 Box of 20)

Euro-Med™ Stainless Steel Biopsy Punches

Blue markings indicate bite shape.

A. Tischler-Morgan™ Biopsy Punch CE

The standard bite incorporates a single tooth on the upper and lower jaws that draws tissue in for sample retention.

NUMBER	LENGTH	BITE
64-689	21 cm	7 mm x 3 mm
64-689L	25 cm	7 mm x 3 mm

B. Baby Tischler Biopsy Punch CE

Small bite incorporates a tooth permitting sampling at the endocervical canal.

NUMBER	LENGTH	BITE
64-691	21 cm	4.1 mm x 2.3 mm
64-691L	26 cm	4.1 mm x 2.3 mm

C. Tischler-Kevorkian™ Biopsy Punch CE

Large rectangular bite includes upper and lower teeth.

NUMBER	LENGTH	BITE
64-679	22 cm	9 mm x 3 mm

D. Kevorkian-Pacific™ Biopsy Punch CE

A slightly smaller bite and additional anchoring teeth on the bottom jaw.

NUMBER	LENGTH	BITE
64-675	22 cm	9 mm x 3 mm

E. Mini-Townsend™ Biopsy Punch CE

NUMBER	LENGTH	BITE
64-690	21 cm	4 mm x 2.3 mm

F. Coppleson Biopsy Punch CE


The unique jaw shape yields a distinct sample orientation for histologic analysis.

NUMBER	LENGTH	BITE
64-660	22 cm	7.5 mm x 3 mm

G. Baggish Biopsy Punch CE

This punch provides an oval-shaped bite.
The jaws have two bottom teeth and a serrated bed.


NUMBER	LENGTH	BITE
64-695	22 cm	6.5 mm x 3.5 mm



H. Burke™ Biopsy Punch CE

The design features an open handle and an oval-shaped bite for small samples.

NUMBER	LENGTH	BITE
64-677	22 cm	5.5 mm x 3 mm





I. Euro-Med™ Keyes Vulvar Punch Set and Singles


This set includes six stainless steel interchangeable tips ranging from 3 mm to 8 mm in diameter, and a universal handle. The individual tips can be placed on the threaded handle as required.

NUMBER	LENGTH
68-180	Set includes: five tips, storage tray and wooden box

Euro-Med™ Rotating Biopsy Punch Handles

A 360-Degree Rotating Shaft for Sample Collection

These rotating punch tips fit either the Euro-Med™ closed rotating handle or the Townsend open rotating handle.



Euro-Med™ Rotating Handle

Townsend™ Rotating Handle



Tischler-Morgan™ Tip CE

NUMBER	LENGTH	BITE
64-484	23 cm	7 mm x 3 mm



Mini Tip Down CE

NUMBER	LENGTH	BITE
64-656	23 cm	7 mm x 3 mm



Tischler Tip Up CE

NUMBER	LENGTH	BITE
64-751	23 cm	7 mm x 3 mm



Mini-Townsend™ CE

NUMBER	LENGTH	BITE
64-460	23 cm	4 mm x 2.3 mm



Tischler Tip Down CE

NUMBER	LENGTH	BITE
64-756	23 cm	7 mm x 3 mm



Oval Tip CE

NUMBER	LENGTH	BITE
64-489	23 cm	5 mm x 3 mm



Mini Tip Up CE

NUMBER	LENGTH	BITE
64-651	23 cm	7 mm x 3 mm



Kevorkian Tip CE

NUMBER	LENGTH	BITE
64-488	23 cm	8 mm x 3 mm

Gynecological Specialty Instruments

Euro-Med™ Standard Biopsy Punches



Handle for Eppendorfer, Wittner and Kevorkian Tips



Handle for Schubert Tip



Eppendorfer Tip CE

This oval cutting jaw obtains an 8 mm x 4.5 mm cervical specimen. A basket in the jaw helps retain the biopsy sample.

NUMBER	LENGTH	BITE
64-687	21 cm	8 mm x 4.5 mm



Wittner Tip CE

The angle of the jaw enables extra access to areas of the cervix. The large teeth and strong bite provide a maximum tissue sample area.

NUMBER	LENGTH	BITE
64-681	21.5 cm	8 mm x 4 mm



Kevorkian Tip CE

This punch facilitates simple insertion and sampling of the cervical canal.

NUMBER	LENGTH	BITE
64-685	26.5 cm	9 mm x 3 mm



Schubert Tip CE

Features a large bite and an angled handle.


NUMBER	LENGTH	BITE
64-670	21.5 cm	8 mm x 4.5 mm

Euro-Med™ Stainless Steel Specula

A. Graves CE

Available with standard yoke and an open-sided configuration. The Graves blade is also available in longer lengths with a Vu-More™ or Vu-Max™ yoke.

NUMBER	DESCRIPTION	SIZE MM
64-100	Small	W19 L82
64-102	Medium	W33 L114
64-104	Large	W35 L127
64-108	Open-sided	W35 L100


A.


B.

B. Pederson

Pederson vaginal speculum is a double-bladed instrument with a screw mechanism to keep the blades open once inserted into the vaginal canal. The speculum is designed to aid in the visualization of the vaginal canal for diagnostic and/or procedural purposes.


NUMBER	DESCRIPTION	SIZE MM	
391-671	Virgin	W13 L78	
64-110	Small	W13 L82	CE
391-674	Extra-narrow	W17 L108	CE
64-112	Medium	W22 L114	CE
64-114	Large	W25 L130	CE

C. Vu-More™ CE

The Vu-More provides a 25 percent larger viewing area at the yoke.

NUMBER	DESCRIPTION	SIZE MM
63-130	Mini	W34 L93
63-902	Medium	W33 L113
63-900	Large	W35 L127
63-905	X Large	W33 L150
63-906	2X Large	W33 L160
63-907	3X Large	W33 L170
63-908	4X Large	W33 L180

New Longer Length


C.

(W=Distal End) (L=Penetration Length)


D.

D. Vu-Max™ CE

Offered in both Pederson and Graves configurations.

NUMBER	DESCRIPTION	SIZE MM
64-113	Pederson Medium	W22 L114
64-115	Pederson Large	W25 L120
64-218	Graves Medium	W33 L114
64-219	Graves Large	W35 L125
64-225	X Large	W35 L150
64-226	2X Large	W35 L160
64-227	3X Large	W35 L170
64-228	4X Large	W35 L180

New Longer Length


E.

E. Snowman Specula™

Longer blades expose access to the cervix.

NUMBER	DESCRIPTION	SIZE MM	
64-107	Graves Blade	W35 L152	CE
64-117	Pederson Blade	W25 L152	CE
64-127	One each/Graves & Pederson		


F.

F. ExpandaView™ Integrated Speculum and Lateral Retractor

Combines a traditional speculum with a lateral wall retractor.

NUMBER	DESCRIPTION	SIZE MM	
64-161	Medium	W22 L109	CE
64-162	Large	W22 L133	CE
64-163	Stainless Steel Instrument Holder		


G.

G. Auvard CE

This 2.5-pound weighted speculum for posterior vaginal wall retraction in vaginal procedures.

NUMBER	DESCRIPTION	SIZE MM
64-422	Med (Wide/Short Blade)	W43 L55
64-421	Lg (Narrow/Long Blade)	W35 L90


H.

H. Weisman Graves Side Opening CE

Available in two sizes with left or right openings.

NUMBER	DESCRIPTION	SIZE MM
391-667A	Left side open, Med	W33 L102
391-667	Left side open, Lg	W36 L121
391-668A	Right side open, Med	W35 L102
391-668	Right side open, Lg	W36 L120


I.

I. Pederson Side Opening CE

The Pederson open-sided specula features either a left or right side opening.

NUMBER	DESCRIPTION	SIZE MM
64-112L	Left side open, Med	W22 L114
64-114L	Left side open, Lg	W25 L120
64-112R	Right side open, Med	W22 L114
64-114R	Right side open, Lg	W25 L120

Euro-Med™ Stainless Steel Specula



Vu-Max™

YOKE
Standard
W: 30 mm

YOKE
Vu-More™
W: 40 mm

YOKE
Vu-Max
W: 70 mm

Specula Blades and Yoke Dimensions

Use our speculum sizing guide to select the proper tools for your practice. Specula are available in a variety of sizes.

See pages 44-45 for a full product selection and model numbers.

Vu-Max™ Yoke – Graves Blades
Medium – W: 33 mm L: 114 mm
Large – W: 35 mm L: 125 mm

Vu-Max Yoke – Pederson Blades
Medium – W: 22 mm L: 114 mm
Large – W: 25 mm L: 120 mm

C. Vu-More™ Yoke – Graves Blades
Mini – W: 34 mm L: 93 mm
Medium – W: 33 mm L: 113 mm
Large – W: 35 mm L: 127 mm

D. Standard Yoke – Pederson Blades
Also Available with Side Opening Yoke

Virgin – W: 13 mm L: 78 mm
Small – W: 13 mm L: 82 mm
Extra Narrow – W: 17 mm L: 108 mm
Medium – W: 22 mm L: 114 mm
Large – W: 25 mm L: 130 mm

E. Standard Yoke – Graves Blades
Also Available with Side Opening Yoke

Small – W: 19 mm L: 82 mm
Medium – W: 33 mm L: 114 mm
Large – W: 35 mm L: 127 mm

F. Vu-More Yoke – Graves or Pederson Blade
Snowman™ – W: 35 mm L: 152 mm
Snowman – W: 25 mm L: 152 mm

G. Vu-Max and Vu-More Yokes – Graves Blades
X Large – W: 35 mm L: 150 mm
2X Large – W: 35 mm L: 160 mm
3X Large – W: 35 mm L: 170 mm
4X Large – W: 35 mm L: 180 mm

Euro-Med™ Stainless Steel Endocervical Specula



Ratchet Handle Speculum CE

Stainless steel endocervical speculum with quick-release lock.

NUMBER	TIP SIZE	LENGTH
66-437	Small 3 mm	10.6"/270 mm
66-435	Medium 4 mm	10.6"/270 mm
66-436	Large 5 mm	10.6"/270 mm



Screw/Knob Handle Speculum CE

The screw/knob handle stainless steel speculum adjusts and maintains position using the threaded thumb screw.

NUMBER	TIP SIZE	LENGTH
66-431	Small 3 mm	10.6"/270 mm
66-430	Medium 4 mm	10.6"/270 mm
66-432	Large 5 mm	10.6"/270 mm




No-Lock Handle CE


This stainless steel endocervical speculum offers singlehanded action. The No-Lock Handle allows for adjustment as necessary.

NUMBER	TIP SIZE	LENGTH
66-433	Small 3 mm	10.6"/270 mm
67-435	Medium 4 mm	10.6"/270 mm
66-434	Large 5 mm	10.6"/270 mm


Each Endocervical Speculum Available in Small, Medium or Large Tip



3 mm Small Size "Thin Line" Tip



4 mm Medium Size Euro-Med™ Tip



5 mm Large Size Euro-Med™ Tip

Euro-Med™ Stainless Steel Lateral Wall Retractors





Cer-View™ Lateral Wall Retractor CA CE

NUMBER	DESCRIPTION	SIZE MM
64-310	Medium	W22 L150
64-320	Large	W22 L160

Tru-View™ Lateral Wall Retractor CE

NUMBER	DESCRIPTION	SIZE MM
64-307	Extra Large	W32 L190

Jackson Vaginal Retractor CE

NUMBER	DESCRIPTION	SIZE MM
64-322	Medium	W40 L98
64-324	Large	W40 L115



Euro-Med™ Stainless Steel Uterine Sounds and Dilators



Dil-Os™ Uterine Sound/Dilator

NUMBER	DESCRIPTION	SIZE	
64-336	Slight Curve	L12.7"/322 mm	CE
64-337	Strong Curve	L12.5"/317 mm	CE
64-338	Set of two (64-336, 64-337)		

Sims Uterine Sound CE

NUMBER	DESCRIPTION	SIZE
64-601	Sims Uterine Sound – Stainless Steel	L12.5"/317 mm
64-600	Sims Uterine Sound – Silver-Plated Copper*	L12.5"/317 mm

* Silver-plated copper may tarnish.



Pratt Dilator Set CE

Available individually or in a set of 8.

NUMBER	SIZE
391-830	13 Fr/15 Fr – 41 Fr/43 Fr (8/Set)
391-833	13 Fr/15 Fr
391-834	17 Fr/19 Fr
391-835	21 Fr/23 Fr
391-836	25 Fr/27 Fr
391-837	29 Fr/31 Fr


NUMBER	SIZE
391-838	33 Fr/35 Fr
391-839	37 Fr/39 Fr
391-840	41 Fr/43 Fr
391-841	45 Fr/47 Fr
391-842	49 Fr/51 Fr
391-843	53 Fr/55 Fr
391-844	57 Fr/59 Fr



Hegar Dilator Set CE

Stainless steel Hegar dilators provide the option of double-ended dilators. Available individually or in a set of 8.

NUMBER	SIZE MM
61207	9 Fr (3 mm)/12 Fr (4 mm); 51 Fr (17 mm)/ 54 Fr (18 mm) (8/Set)
61208	9 Fr (3 mm)/12 Fr (4 mm)
61209	15 Fr (5 mm)/18 Fr (6 mm)
61210	21 Fr (7 mm)/24 Fr (8 mm)
61211	27 Fr (9 mm)/30 Fr (10 mm)
61212	33 Fr (11 mm)/36 Fr (12 mm)
61213	39 Fr (13 mm)/42 Fr (14 mm)
61214	45 Fr (15 mm)/28 Fr (16 mm)
61215	51 Fr (17 mm)/54 Fr (18 mm)



Hank Cervical Dilators CE

Hank cervical dilators available individually or in a set of six ranging from 9 French (3 mm) to 20 French (6.66 mm). The set comes in a custom-fitted and numbered pouch.

NUMBER	SIZE MM
64-370	6 Dilators and Storage Pouch
61201	9 Fr (3 mm)/10 Fr (3.33 mm)
61202	11 Fr (3.67 mm)/12 Fr (4 mm)
61203	13 Fr (4.33 mm)/14 Fr (4.67 mm)
61204	15 Fr (5 mm)/16 Fr (5.33 mm)
61205	17 Fr (5.67 mm)/18 Fr (6 mm)
61206	19 Fr (6.33 mm)/20 Fr (6.67 mm)



Mini Cervical Dilator Set CE

NUMBER	DESCRIPTION
64-374	5 Dilators, Handle and Storage Pouch



Small Cervical Dilator Set CE

NUMBER	DESCRIPTION
64-372	6 Dilators and Storage Pouch

Euro-Med™ Stainless Steel Endocervical Curettes



Kevorkian with Basket

NUMBER	LENGTH
66-442	12"/305 mm



Kevorkian without Basket

NUMBER	LENGTH
66-440	12"/305 mm



Townsend™ CE

NUMBER	LENGTH
66-445	12.3"/312 mm



Kevorkian Collector™

NUMBER	LENGTH
66-441	12"/305 mm



London™

NUMBER	LENGTH
64-490	11.7"/297 mm



Endocrette™ CE

NUMBER	LENGTH
66-447	12.3"/312 mm

Euro-Med™ Endometrial Curettes







A. Novak CE

NUMBER	SIZE	LENGTH
64-624	1 mm	9.8"/248 mm
64-626	2 mm	9.8"/248 mm
64-628	3 mm	9.8"/248 mm
64-630	4 mm	9.8"/248 mm

B. Randall CE

NUMBER	SIZE	LENGTH
64-620	3.9 mm	9.9"/252 mm

C. Sims

NUMBER	SIZE	LENGTH	
392-110	6 mm	11"/280 mm	CE
392-111	7 mm	11"/280 mm	CE
392-112	8 mm	11"/280 mm	CE
392-113	9 mm	11"/280 mm	CE
392-114	11.5 mm	11"/280 mm	CE
392-116	17 mm	11"/280 mm	

Euro-Med™ Stainless Steel Hooks



Angle Hooks

NUMBER	DESCRIPTION	LENGTH
36-630	Straight Hook	9.8"/249 mm
36-632	Right Hook	9.6"/244 mm



Iris Hook

NUMBER	LENGTH
36-625	10.3"/262 mm



Marlow Corkscrew Hook CE

NUMBER	LENGTH
67-451	9.3"/236 mm



Double IUD Hook CE

NUMBER	LENGTH
392-151	10.6"/269 mm



Emmett Tenaculum Hook CE

NUMBER	LENGTH
66-450	9.8"/249 mm



IUD Hook CE

NUMBER	LENGTH
392-148	10.3"/262 mm

Euro-Med™ Stainless Steel Cervical Tenacula



Braun Tenaculum Forceps CE

NUMBER	LENGTH
64-420	9.9"/252 mm



Schroeder Tenaculum CE

NUMBER	LENGTH
64-410	9.9"/252 mm



Duplay Tenaculum Double Curved CE

NUMBER	LENGTH
61352	11"/280 mm



Goldstein Grasp Cervical Stabilizer CE

NUMBER	LENGTH
64-6026	9.4"/239 mm

Euro-Med™ Stainless Steel Dressing and Tissue Forceps



Allis CE

NUMBER	DESCRIPTION	LENGTH
61981	4 x 5 Teeth	6"
61983	5 x 6 Teeth	7.5"
61882	5 x 6 Teeth	10"



Potts-Smith Tissue CE

NUMBER	DESCRIPTION	LENGTH
61871	1 x 2 Teeth	7"
61872	1 x 2 Teeth	8.2"



Dressing Serrated CE

NUMBER	LENGTH
61804	5.6"
61805	6.2"



Foerster Sponge Forceps CE

Featuring oval tips with serrations, the Foerster is used to hold sponges during the procedure.

NUMBER	LENGTH
16-182	9.7"



Potts-Smith Dressing CE

NUMBER	LENGTH
10-202	8.25"



Tissue 1 x 2 CE

NUMBER	DESCRIPTION	LENGTH
61841	1 x 2 Teeth	5.75"
61843	1 x 2 Teeth	7"
61844	1 x 2 Teeth	8"



Adson Dressing Serrated CE

NUMBER	DESCRIPTION	LENGTH
61830	Serrated Tips	4.75"



Adson Tissue 1 x 2 CE

NUMBER	DESCRIPTION	LENGTH
61863	1 x 2 Teeth	4.75"



Adson Tissue 1 x 2 Serrated CE

NUMBER	DESCRIPTION	LENGTH
61864	1 x 2 Serrated Tips	4.75"



Adson-Brown Grasping CE

NUMBER	DESCRIPTION	LENGTH
61866	7 x 7 Teeth	4.75"

Euro-Med™ Stainless Steel Uterine Forceps



Bozeman Uterine Forceps CE

NUMBER	LENGTH
392-660	10.2"/257 mm



Kelly Uterine Forceps CE

NUMBER	LENGTH
417-131	12.5"/318 mm



Foerster Uterine Polyp Forceps CE

NUMBER	DESCRIPTION	LENGTH
415-140	Straight	10"/254 mm
415-141	Curved	10"/254 mm

Euro-Med™ Stainless Steel Needle Holders



Mayo-Hegar (Wider Jaw) CE

NUMBER	LENGTH
62809	5.5"
62810	6.3"
62815	7.1"
62820	8.1"



Heaney (Curved) CE

NUMBER	LENGTH
62825	8.3"



Crile-Wood (Narrow Jaw) CE

NUMBER	LENGTH
62840	7.1"

Euro-Med™ Stainless Steel Scissors



Operating Scissors (Straight) CE

NUMBER	DESCRIPTION	LENGTH
62002	B/B	5.5"
62008	S/B	5.5"
62014	S/S	5.5"
62004	B/B	6.5"
62005	B/B	7.5"
62010	S/B	6.5"
62011	S/B	7.23"



Spencer Suture Scissors CE

NUMBER	DESCRIPTION	LENGTH
62164	Straight	3.5"



Metzenbaum Scissors (Straight or Curved) CE

Straight

NUMBER	LENGTH
62116	7"
62127	8"
62120	9.1"
62122	11.2"

Curved

NUMBER	LENGTH
62131	5.9"
62118	7"
62119	8.1"
62124	9"
62126	11"



Mayo Scissors (Straight or Curved) CE

Straight

NUMBER	LENGTH
62063	5.7"
62065	6.8"
62066	9"

Curved


NUMBER	LENGTH
62067	5.5"
62069	6.75"
62070	9"



Iris Scissors (Straight or Curved) CE

NUMBER	DESCRIPTION	LENGTH
62140	Straight S/S	4.5"
62143	Curved S/S	4.5"

Endometrial Samplers



Pipelle® Endometrial Suction Curette CA CE

NUMBER	DESCRIPTION
8200	Pipelle Endometrial Suction Curette (25/Box)



Pipet Curet™ Endometrial Suction Curette CA CE

NUMBER	DESCRIPTION
MX140	3 mm (50/Box) – Greater integrity for stenotic Os
MX145	3 mm Soft Yellow (50/Box) – Pliable for molding catheter
MX150	4 mm (50/Box) – Multiparous patient



Uterine Explora™ Model I Curette with Sharp Randall-Type Cutting Edge and Vacu-Lok Syringe CA CE

Disposable Explora Model incorporates a long nylon curette with Randall-type cutting edge, stylet and Vacu-Lok syringe that adjusts suction from approximately 15- to 20-inch Hg negative pressure (6 cc to 12 cc).

NUMBER	DESCRIPTION
MX120	Uterine Explora with Vacu-Lok Syringe, 3 mm, Model I (25/Box)
MX124	Uterine Explora with Vacu-Lok Syringe, 4 mm, Model I (25/Box)



Uterine Explora™ Model II Curette with Dual Hole Design and Vacu-Lok Syringe CA CE

Uterine Explora Model II offers the same features as the Model I plus it has a dual-port opening. The Vacu-Lok syringe allows you to adjust the suction from approximately 15- to 20-inch Hg negative pressure (6 cc to 12 cc).

NUMBER	DESCRIPTION
MX130	Uterine Explora II with Vacu-Lok Syringe Model II (25/Box)




Dilators

Comfort-Flex Dilator® Set CA

- Os Locator (1 ring) – opens the external Os
- Canal Dilator (2 rings) – traces the natural path of the cervical canal while steadily dilating
- Fundus Sound™ (3 rings) – opens the internal Os and sounds the fundus to determine uterine depth

NUMBER	DESCRIPTION
64-376	Comfort-Flex Dilator Set, 3 dilators per set (Os Locator, Canal Dilator, Fundus Sound)





Milex® Vaginal-Hymenal Silicone Dilators CA

NUMBER	DESCRIPTION
MX20-CA	Milex Vaginal Dilator – Set of 4: Small, Medium, Large, Extra-Large without Trimo-San
MX20I	Milex Vaginal Dilator Single – Small $5\frac{1}{8}$" x $\frac{15}{16}$"
MX20IM	Milex Vaginal Dilator Single – Medium $5\frac{1}{2}$" x $1\frac{1}{16}$"
MX20IL	Milex Vaginal Dilator Single – Large $5\frac{3}{4}$" x $1\frac{1}{4}$"
MX20IXL	Milex Vaginal Dilator Single – Extra-Large $6\frac{1}{8}$" x $1\frac{1}{2}$"



Milex® Vaginal-Rectal Silicone Dilators CA

NUMBER	DESCRIPTION
MX25-CA	Milex Rectal Dilator – Set of 4: Small Rectal, Medium Rectal, Large Rectal, Extra-Large Vaginal-Rectal without Trimo-San **(International sales only)**
MX25IS	Milex Vaginal-Rectal Dilator Single – Small 3" x $1\frac{1}{16}$"
MX25IM	Milex Rectal Dilator Single – Medium $3\frac{1}{8}$" x $\frac{15}{16}$"
MX25IL	Milex Rectal Dilator Single – Large $3\frac{9}{16}$" x $1\frac{1}{8}$"
MX25IXL	Milex Vaginal-Rectal Dilator Single – Extra-Large $3\frac{15}{16}$" x $\frac{15}{16}$"



Milex® Vaginal Silicone Dilators CA

NUMBER	DESCRIPTION
MX23-CA	Milex Dilator – Set of 4: Small, Medium, Large, Extra-Large without Trimo-San
MX23I	Milex Dilator Single – Small $2\frac{1}{16}$" x $\frac{1}{2}$" x $\frac{3}{8}$"
MX23IM	Milex Dilator Single – Medium $2\frac{5}{16}$" x $\frac{9}{16}$" x $\frac{7}{16}$"
MX23IL	Milex Dilator Single – Large $2\frac{11}{16}$" x $\frac{5}{8}$" x $\frac{1}{2}$"
MX23IXL	Milex Dilator Single – Extra-Large 3" x $\frac{11}{16}$" x $\frac{9}{16}$"

Disposable Uterine Sound and Dilators



Fundus Sound™ XM CA

NUMBER	DESCRIPTION
1196	Fundus Sound XM Disposable Uterine Sound (25/Box)



Milex® Dilator / Sound Set CA

NUMBER	DESCRIPTION
MX11	Milex Os Locator (25/Box)
MX12	Milex Canal Dilator (25/Box)
MX13	Milex Fundal Sound (25/Box)
MX21	Milex Dilator/Sound Set, 3 dilators per set: MX11, MX12, MX13 (10/Box)



Os Finder™ CA CE

NUMBER	DESCRIPTION
1176	Os Finder (50/Box)



Flexisound™ Intrauterine Sound CA

Graduated in centimeters.

NUMBER	DESCRIPTION
920008	Flexisound Disposable Intrauterine Sounds (25 per Box)



Disposable Os Finders

Disposable Os Finders
- Os Finder
- Canal Finder
- Fundus Finder

NUMBER	DESCRIPTION
920019	Disposable Os Finders – Set of 3 (10 Sets per Box)

Cervical and Endocervical Samplers



Medscand® Cytobrush Plus® Kits

NUMBER	DESCRIPTION
10115-10/50	Cytobrush Plus Kits – Cell Collector (sets include brush, scraper, fixative, slide and slide transporter); 10 Trays with 50 Pap Smear test sets (500 total Tests/Case)
60115-10/50	Cytobrush Plus Cell Collector – Gentle Touch, 10 Trays with 50 Pap Smear test sets (500 total Tests/Case)
60115-20/50	Cytobrush Plus Cell Collector – Gentle Touch, 20 Trays with 50 Pap Smear test sets (1,000 total Tests/Case)



Medscand® Cytobrush Plus® CA CE

NUMBER	DESCRIPTION
C0021	Cytobrush Plus – 2 Bags, 500 Brushes each (1,000/Box)
C0004	Cytobrush Plus – 10 Bags, 10 Brushes each (100/Box)
C0005	Cytobrush Plus – 25 Bags, 100 Brushes each (2,500/Box)
C0012	Cytobrush Plus Sterile, 1 Brush per Pouch (40/Box)



Medscand® Cytobrush Plus® GT CA CE

NUMBER	DESCRIPTION
C0121	Cytobrush Plus GT – 2 Bags, 500 Brushes each (1,000/Box)
C0104	Cytobrush Plus GT – 10 Bags, 10 Brushes each (100/Box)
C0105	Cytobrush Plus GT – 25 Bags, 100 Brushes each (2,500/Box)
C0112	Cytobrush Plus GT Sterile, 1 Brush per Pouch (40/Box)
C0305	Cytobrush Plus GT Scored – 25 Bags, 100 Brushes each (2,500/Box)



Medscand® Pap Perfect® Spatula

NUMBER	DESCRIPTION	
11080	Pap-Perfect Plastic Spatulas (500/Box)	CA CE



Milex® Cervical Spatulas

NUMBER	DESCRIPTION
MX600	Milex Cervical Spatulas, Small, Yellow (250/Box)
MX610	Milex Cervical Spatulas, Medium, White (250/Box)

Diagnostic Disposables



Papette® Cervical Cell Collector

NUMBER	DESCRIPTION	
908001	Papette Cervical Cell Sampler Brush (100 per Bag)	CA CE
908003	Papette Cervical Cell Sampler Brush (10 per Box; 1,000 pieces)	CA CE
908004	Papette Cervical Cell Sampler Brush (40 per Box; 4,000 pieces)	CA CE

Endocell® Disposable Endometrial Cell Sampler

NUMBER	DESCRIPTION	
908014 A	Endocell – 35 per box	CA CE
908015	Endocell – 6 boxes of 35 (210 pieces)	CA CE
908016	Endocell – 15 boxes of 35 (525 pieces)	CA CE



Word Catheter CA


NUMBER	DESCRIPTION
53404	Word Bartholin Gland Catheter. Includes syringe and scalpel. Latex-free. (6/Box)



Breast Aspiration Dual-Port Biopsy Needle

NUMBER	DESCRIPTION	
MX41	Dual-Port Needle with 3-finger control with 12 cc Syringe, 1½" (12/Box)	CA
MX42	Dual-Port Needle, No Syringe, 1½" (5/Box)	CA

Leisegang™ LM-900 Cryosurgery System



NUMBER	DESCRIPTION	
50501	LM-900 N_2O Cryosurgery Unit with Case	CE
50502	LM-900 CO_2 Cryosurgery Unit with Case	CE

Accessories

NUMBER	DESCRIPTION	
50000	Empty 20 lb. N_2O	
50010	Empty 20 lb. CO_2	
50003	20 lb. Cylinder Cart	
50008	E-Cylinder Adapter CO_2	CE
50009	Carrying Case	
50011	O-Rings (10 µ)	CE
50012	Cleaning Plugs (1 µ)	CE

Cervical Cryosurgery


50101


50102


50103


50104


50105


50106


50107


50108


50109

LEISEGANG LM-900 Probes CA CE

NUMBER	DESCRIPTION
50101	Microderm - 2 mm D x 25 mm L
50102	Soll Lash Epilating - 2 mm D x 27 mm L
50103	Condyloma - 5 mm D x 25 mm L
50104	Derm Bevel - 5 mm D x 24 mm L
50105	General Purpose - 19 mm D x 8 mm L
50106	Large Derm Bevel
50107	Curved Anorectal - 8 mm D x 38 mm L
50108	General Purpose - 19 mm D x 8 mm L
50109	Exocervical - 19 mm D x 5 mm L

Cryosurgical Systems:

One- and Two-Trigger Systems Provide Conductive, Reusable Cryotips and Disposable Plastic Shields Available for Cryosurgical Treatment





LL100™ System (N_2O)
Two-trigger

Freeze and defrost only when triggered. Use with cryotips and disposable plastic shields.

LL100™ System (N_2O) & $LLCO_2$™ System

NUMBER	DESCRIPTION	
900001	LL100 Cryosurgical System – N_2O (Freezer Only)	
900160	$LLCO_2$ Cryosurgical System – CO_2 (Freezer Only)	
901060	N_2O Cylinder (unfilled)	CA CE
901061	CO_2 Cylinder (unfilled)	CE
901011	Cart for 20 lb. Cylinder	



$LLCO_2$™ System
Single-trigger for CO_2 Gas

- Squeeze trigger to freeze; release to defrost
- Use with medical-grade CO_2 gas for optimal performance
- Use with CooperSurgical's standard cryotips with disposable plastic shields

Both the LL100 and the $LLCO_2$ are available in three-tip package specials for additional savings. Choose three cryotips from our comprehensive offerings when ordering. The following are recommended for general/family practice procedures: T-1905, T-2514, and T-0500 for GYN procedures and the T-0524, T-0219, and T-1900.



WA1000B™ Cryo Console System

Uses LL100™ two-trigger or $LLCO_2$™ single-trigger freezers

- Temperature Indicator with integrated timer
- Cart carries a single 20 lb. cylinder
- Use with CooperSurgical's large selection of cryotips and shields

NUMBER	DESCRIPTION	
900506-1-N2O	WA1000B Cryosurgical Console – Blank N_2O LL100	CA CE
900506-1-CO2	WA1000B Cryosurgical Console – Blank CO_2 LL100	CA
900506-2-N2O	WA1000B Cryosurgical Console – Digital Temp. (N_2O) Indicator, Timer, Base, and LL100	CE
900506-2-CO2	WA1000B Cryosurgical Console – Digital Temp. (CO_2) Indicator, Timer, Base, and $LLCO_2$	


900300AA


900301A


900302A


900303AA


900305AA


900306AA


900200AA


900201AA


900202AA


900203AA


900204AA


900205AA


900206AA


900207AA


900208AA


900209AA


900210AA


900211AA


900212AA


900213AA


900214AA


900215AA


900217AA



Cryosurgical Tips for Use with LL100™ and $LLCO_2$™ CA CE

Conductive, thermal, reusable, sterilizable cryotips with disposable plastic shields.

NUMBER	DESCRIPTION	NUMBER	DESCRIPTION	NUMBER	DESCRIPTION	NUMBER	DESCRIPTION
900300AA	(T-0200)	900200AA	(T-0219)	900206AA	(T-0826)	900212AA	(T-1920)
900301AA	(T-0500)	900201AA	(T-0219)	900207AA	(T-0823)	900213AA	(T-2500)
900302AA	(T-0700)	900202AA	(T-0524)	900208AA	(T-1900)	900214AA	(T-2507)
900303AA	(T-0900)	900203AA	(T-0519)	900209AA	(T-1905)	900215AA	(T-2514)
900305AA	(T-1300)	900204AA	(T-0832)	900210AA	(T-1920)	900217AA	(T-0832)
900306AA	(T-1500)	900205AA	(T-0819)	900211AA	(T-1910)	900221AA	Disposable Plastic Shields for Cryotips (100 per Bag)

H/S Elliptosphere® Catheter Set and Tray

Sonohysterography and Hysterosalpingography

Available in two versions – with and without an integrated stylet – the H/S Elliptosphere features latex-free construction.



61-4205
H/S Elliptosphere Tray

NUMBER	DESCRIPTION	
61-4005	H/S Elliptosphere Catheter, 5 Fr (10/Box)	CA CE
61-4005S	H/S Elliptosphere Catheter Set with Integrated Stylet (10/Box)	CA CE
61-4205	H/S Elliptosphere Tray with 5 Fr Catheter (10/Case)	

Fertility Assessment



SelectMucus® Endocervical Aspirator

NUMBER	DESCRIPTION	
SM301	SelectMucus Endocervical Sampler (25/Box)	CA

H/S Catheters

For Visualization of Uterine Pathology

H/S Catheter Set CA CE

Designed for use in sonohysterography and hysterosalpingography, the catheter can be used with oil- or saline-based media depending on the procedure requirements.

- Available with integrated stylet
- Comes in both 5 and 7 French


NUMBER	DESCRIPTION
61-5005	H/S Catheter, Kraton, 5 Fr (10/Box)
61-5007	H/S Catheter, Kraton, 7 Fr (10/Box)
61-0020	H/S Stylet Catheter Stiffener (10/Box)



H/S Procedure Tray

- Fenestrated drape
- Disposable speculum
- Disposable cervical dilator
- Three swab sticks
- Sterile wrap
- Inner tray for povidone-iodine solution
- One pack of povidone-iodine solution
- 36-in. extension tube
- 20 cc syringe with 18-gauge needle
- Lubricating jelly packet
- Sanitary napkin

NUMBER	DESCRIPTION
61-5205	H/S Procedure Tray – Round 5 Fr
61-5207	H/S Procedure Tray – Round 7 Fr
61-3205	H/S Procedure Tray – Round 5 Fr with Stylet
61-3207	H/S Procedure Tray – Round 7 Fr with Stylet



Tampa Infusion Catheter CA CE

For sonohysterography – ultrasound examination of the uterus.

NUMBER	DESCRIPTION
61-2005	Tampa Catheter (20/Box)



HSG Procedure Tray

The HSG Procedure Tray is for use in hysterosalpingography and sonohysterography procedures.

NUMBER	DESCRIPTION
6050T	Procedure Tray



Paragard® T380A
intrauterine copper contraceptive

by CooperSurgical®

Ordering Paragard

Two simple ways to order the Paragard IUS for your patients:

Paragard Direct℠

Paragard Direct℠ is our "buy and bill" option for ordering Paragard that allows you to take advantage of volume discount pricing.

Create an account

Order online, by fax or by phone

Ship to one or more locations

Visit ParagardDirect.com or call 1-877-PARAGARD to learn more.

Paragard Specialty Pharmacy℠

With the Paragard Specialty Pharmacy℠ program, your patient's prescription for Paragard is fulfilled through one of our specialty pharmacies and shipped directly to your office.

Process the claim with your patient's health insurer

Collect any applicable co-pay for the unit, if needed

Ship Paragard directly to your office

To order through a specialty pharmacy:

1. **Visit ParagardAccessCenter.com to download our specialty pharmacy request form**
2. **Complete the form and fax it back to the selected specialty pharmacy**

CBR | by CooperSurgical®



Designed for the collection of cord blood and cord tissue stem cells.

Ordering a CBR® Newborn Stem Cell Preservation Collection Kit

Have your patient visit cordblood.com or call CBR® (Cord Blood Registry℠) directly at 1.888.267.3256 or you can email providersupport@cordblood.com to request collection kits for your office or hospital.

Fetal Monitor



F9 Fetal Monitor

Fetal monitor with 2 ultrasound transducers, 1 toco transducer, 1 event marker, 2 reusable belts, ultrasound gel, printer paper, power cord, system user manual.
Optional: CooperSurgical Insight™ software, RS232 and ethernet cables, rechargeable lithium-ion battery.

NUMBER	DESCRIPTION
MS9-108022-UL-R	CooperSurgical Fetal Monitor F9
MS9-108022-SWP	CooperSurgical Insight Software Package (Includes software and cables)
M21-64072	Rechargeable Lithium-ion Battery
MS9-107634	Deluxe Cart
MS9-108166	Base Cart with Basket and Laptop Tray
MS9-108108	Base Cart with Basket
MS3-31528-A1	Transducer 1 (pink, 4-pin)
MS3-31528-A1-R	Transducer 1 (pink, 6-pin)
MS3-107705-A1	Transducer 2 (yellow, 4-pin)
MS3-107705-A1-R	Transducer 2 (yellow, 6-pin)
MS3-31527-A1	TOCO Probe
MS3-31112	Event Marker
MS1R-02264	Transducer Belt (reusable)
M25R-75111	Recording Paper (90 mm x152 mm x 150 p, US standard) (Pack of 3)



Fetal2EMR™

Fetal Monitor with the capability of transferring NSTs to electronic medical records.

NUMBER	DESCRIPTION
902300-R	Fetal2EMR Monitor and Accessories
902320	Fetal2EMR Insight™ Software; Includes Installation CD and Connecting Cables
902302	FHR/Ultrasound Transducer (4-pin)
902302-R	FHR/Ultrasound Transducer (6-pin)
902304	Thermo Paper 90 mm x 152 mm x 150 p (Pack of 3)
902340	Fetal2EMR Rolling Cart with Tray
902341	Fetal2EMR Rolling Cart without Tray

Obstetrical Care

Obstetrical Dopplers and Probes



LifeDop® 250 Series

Handheld Dopplers with large displays for indication of heart rate and battery status. Rechargeable batteries and audio recording options are available on specific models. Compatible with all LifeDop non-directional probes.

NUMBER	DESCRIPTION	
L250-SD2	LifeDop 250 Disp. with 2 MHz Probe	CA CE
L250-SD3	LifeDop 250 Disp. with 3 MHz Probe	CA CE
L250-SDW	LifeDop 250 Disp. with 2 MHz Waterproof Probe	CA CE
L250R-SD2	LifeDop 250 Disp. with Recharge & 2 MHz Probe	CA CE
L250R-SD3	LifeDop 250 Disp. with Recharge & 3 MHz Probe	CA CE
K200	Roll Stand with Storage Basket for L150 or L250	



LifeDop® 350 Series

The LifeDop 350 Doppler is a tabletop Doppler system designed to detect the fetal heart rate and monitor blood flow. It has a large heart rate display, comes with rechargeable batteries, and accepts all LifeDop non-directional probes.

- Two probe holders for multiple applications
- User-accessible batteries
- Stand and wall mounting available

NUMBER	DESCRIPTION	
L350R-SD2	LifeDop Tabletop Doppler with 2 MHz Probe	CA CE
K310	Wall Mount for L350R	
K220	Roll Stand with Storage Basket for L350R	



LifeDop® Non-Directional Obstetrical Probes

All LifeDop non-directional probes are completely interchangeable for use on the L150 and the L250 and L350 series of Dopplers. Most models have user-replaceable cables.

2 MHz OB Probe Wide-angle beam for deep penetration needed in late term pregnancy and larger patients.

3 MHz OB Probe The general-purpose obstetrical probe for fetal heart detection, from earliest stages through delivery.

2 MHz Waterproof OB Probe Waterproof design for water-assisted labor and delivery applications.

NUMBER	DESCRIPTION	
SD2	2 MHz OB Probe	CA CE
SD3	3 MHz OB Probe	CA CE
SDW	2 MHz Waterproof OB Probe	CA CE

Vascular Assessment Dopplers and Probes



LifeDop® 150 Series

These handheld, non-display Dopplers for vascular assessment offer full line of non-directional LifeDop probes. Rechargeable batteries and audio recording options are available on certain models.

NUMBER	DESCRIPTION
L150R-SD4	LifeDop 150 with 4 MHz Probe, Rechargeable
L150R-SD5	LifeDop 150 with 5 MHz Probe, Rechargeable
L150R-SD8	LifeDop 150 with 8 MHz Probe, Rechargeable
L150R-STN	LifeDop 150 with 8 MHz Sterilizable Probe, Rechargeable
STNPK1	L150 Doppler with Sterilizable Probe and Stand



LifeDop® 350

The LifeDop 350 has a large heart rate display, rechargeable batteries, and accepts all LifeDop non-directional probes. Enhanced features include:

- Two probe holders for multiple applications
- User accessible batteries
- Wall mounting

NUMBER	DESCRIPTION
K310	Wall Mount for Added Convenience and Security



LifeDop® Vascular Assessment Probes CA CE

LifeDop probes are interchangeable for use on the L150 Series and L350 Dopplers, with the exception of the sterilizable probes, which have some restrictions. Most models have user replaceable cables.

- 4 MHz Vascular Probe
- 5 MHz Vascular Probe
- 8 MHz Vascular Probe
- 8 MHz Sterilizable Probe

NUMBER	DESCRIPTION
SD4	4 MHz Vascular Probe
SD5	5 MHz Vascular Probe
SD8	8 MHz Vascular Probe
STN	8 MHz Sterilizable Vascular Probe

Full-Featured ABI Systems for Peripheral Arterial Disease Diagnosis

Vista AVS®

A Full-Featured ABI/Vascular System

The Vista AVS offers three modalities for obtaining systolic pressures and waveforms and is designed to accommodate both standard and custom protocols. The accompanying compact printer prints two ankle waveforms along with the ABI results. The system includes:

- 3 modalities: PVR, bi-directional Doppler probe and PPG probe
- Automatic ABI, TBI and segmental calculation
- Performs seated ABI on mobility impaired patients
- Software for full-page reporting, exam storage and interface with EMR
- 9 blood pressure cuffs: (2) 10 cm, (4) 12 cm, (2) 17 cm contoured thigh cuffs, (1) digit cuff
- Automatic inflation/deflation
- Graphic waveform display with step-by-step ABI instructions

Optional Features for the Vista AVS®

5 MHz Bi-directional Probe
For deeper vessel penetration on larger patients.

Cuff Selector
Up to 10 vascular cuffs can be connected to this unit at the same time, for upper and lower extremity or digit pressure measurements.

NUMBER	DESCRIPTION	
L500VA	Full-featured ABI/Vascular System	CA
SD5V	5 MHz Bi-directional Probe	
K290	Cuff Selector	
G150	Ultrasound Gel (60 grams)	
VISTCAP1	Extended one year warranty for Vista system	







Vista ABI™

This system includes:

- 2 modalities: PVR and bi-directional Doppler probe
- Automated cuff inflation/deflation
- Built-in printer
- Graphic waveform display with step-by-step ABI instructions
- 4 cuffs: (2) 10 cm, (2) 12 cm

Optional Features for the Vista ABI™

PPG Package
A sensitive arterial PPG probe for obtaining both toe and limb pressures. Comes with Velcro to secure placement on the digit. This package includes a PPG probe and a 1.9 cm digit cuff for performing TBI exams on patients with non-compressible arteries.

PC Download Software
An optional software package for the Vista ABI with full-page reporting and exam storage includes download capability for integration with EMR systems (.pdf and .csv file formats – USB Interface to PC).

NUMBER	DESCRIPTION	
L450VA	Vista ABI System	CA
L450PG	PPG Package	
L450SF	PC Download Software	
SD5V	5 MHz Bi-directional Probe	
G150	Ultrasound Gel (60 grams)	

*The Vista ABI does not accommodate segmental exams.



Vascular Assessment

Portable and Handheld ABI Systems



LifeDop® 300 ABI System with Four Cuffs and Aneroid

A Handheld ABI System with ABI Calculation and Dual Waveform Printout

Portable bi-directional Doppler with keypad for entering pressure data and calculating the indices. The accompanying compact printer prints two ankle waveforms along with the ABI results.

System includes:

- Printer
- 8 MHz bi-directional probe
- Adhesive-backed label paper
- ABI chart, forms
- ABI video, examination guide, quick reference guide, and ABI glossary
- Carrying case



LifeDop® 250 ABI System with Cuffs and Aneroid

Portable bi-directional Doppler with compact printer. The system includes handheld Doppler for diagnosing PAD, cuffs and aneroid package, printer to capture waveforms, an 8 MHz bi-directional probe, adhesive-backed label paper, carrying case, and ABI reference documents and video.

NUMBER	DESCRIPTION	
L300AC	LifeDop 300 ABI System with 4 Cuffs and Aneroid	CA CE
L250AC	LifeDop 250 ABI System with 4 Cuffs and Aneroid	CA CE
L250AB	LifeDop 250 ABI System with 2 Cuffs and Aneroid	CA CE
SD5B	5 MHz Bi-directional Probe	
SD8B	8 MHz Bi-directional Probe	
K180	Adhesive-backed label paper	
G150	Ultrasound Gel	



VANMAX Shown

Vantage ABI™

The Vantage ABI™ is a cuff-based system that uses Digital Fourier Oscillometric or DFO waveform analysis. The accompanying compact printer prints two ankle waveforms along with the ABI results.

VANABI – Vantage ABI Package 1

- Vantage ABI
- Graphic display with convenient touch-screen to navigate the system
- USB memory stick for data transfer and storage (EMR interface)
- Four blood pressure cuffs: (2) 10 cm cuffs for ankles R/L and (2) 12 cm cuffs for arms R/L
- Automatic inflation/deflation

VANMAX – Vantage ABI Package 2


- Vantage ABI
- Graphic display with touch-screen to navigate the system
- USB memory stick for data transfer and storage (EMR interface)
- Built-in printer for printing ankle waveforms on adhesive-backed label paper
- Four blood pressure cuffs: (2) 10 cm cuffs for ankles R/L and (2) 12 cm cuffs for arms R/L
- Automatic inflation/deflation

NUMBER	DESCRIPTION
VANABI	Vantage ABI – Package 1
VANMAX	Vantage ABI with Stand – Package 2
K180	Adhesive-backed label paper
C019	Cuff and Hose Assembly – 1.9 cm Digit Cuff (VISTA Systems Only
C100	Cuff and Hose Assembly – 10 cm
C101	Cuff and Hose Assembly – 10 cm – Ankle Left
C102	Cuff and Hose Assembly – 10 cm – Ankle Right
C120	Cuff and Hose Assembly – 12 cm
C121	Cuff and Hose Assembly – 12 cm – Arm Left
C122	Cuff and Hose Assembly – 12 cm – Arm Right
C170	Cuff and Hose Assembly - 17 cm Contoured Thigh Cuff

Ophthalmic Cryosurgery

Insulating Sleeves

NO.	DESCRIPTION
P805	For Probes 124/125/142/161/162/166/167 (Retinal) (6/Pkg)
805-1	For Probes 143/144 (Hammerhead) (6/Pkg)
32709	For Probes 128/132/147 (Micro) (1/Pkg)
32710	For Probes 126/127 (Cataract) (6/Pkg)
32787	For Probes 139/163 (Retinal Spherical) (1/Pkg)
33098	For Probes 130/164/165 (Glaucoma) (6/Pkg)
33555	For Probes 120/121 (Retinal Pediatric) (1/Pkg)



Wallach® UltraFreeze™

Portable cryosurgical system for most office skin procedures. The system includes an assortment of luer lock open spray apertures. A plastic reusable plate with six conical openings is available to help direct liquid nitrogen spray in concentrated areas. Available in .5 liter.

Wallach UltraFreeze™

NUMBER	DESCRIPTION
900108	Accu-Shield Cone Spray Plate (set of 6 varied cones)
900111-1	Manual Discharge Device for 10 liter Dewar
900111-3	Manual Discharge Device for 20 liter Dewar
900112	UltraFreeze Stand
900076	UltraFreeze Liquid Nitrogen Sprayer (.5 liter)*
900113	Aperture kit for UltraFreeze (4 spray apertures and one 20 gauge bent needle)



Index

Biopsy Punches
Euro-Med....36-39

Cervical Samplers....62-63

Colposcopy
OptiK Model 1....29
OptiK Model 2....30-31
Wallach® Zoom Magnification Colposcopes....32

Cord Blood Preservation
CBR....72

Cryosurgery
Leisegang™ LM-900 Cryosurgery System....64-65
Cryosurgical Systems....66-67
Ophthalmic Cryosurgery....82
UltraFreze....83

Cytobrush....62

Curettes-Endocervical
Stainless Steel....50

Curettes-Endometrial
Disposable....58
Stainless Steel....51

Dilators
Milex Vaginal-Hymenal Silicone Dilators....60
Milex Vaginal-Rectal Silicone Dilators....60
Milex Vaginal Silicone Dilators....60
Milex Dilator/Sound Set....61

Dopplers
Obstetrical Doppler Probes and Accessories....74-75
Vascular Dopplers....76-81

Electrodes: See LEEP

Endocervical Samplers
Cytobrush....62

Endocervical Specula
LEEP....25
Stainless Steel....44-45

Endometrial Samplers
Disposable....63
EMB Samplers....58

Endosee® Advance....6-7

Euro-Med Instruments (see also LEEP)
Biopsy Punches....36-39
Needle Holders....56
Sounds and Dilators....48-49
Stainless Steel Curettes....50-51
Stainless Steel Endocervical Specula....44-45
Stainless Steel Forceps....54-56
Stainless Steel Hooks....52
Stainless Steel Lateral Wall Retractors....46
Stainless Steel Scissors....57
Stainless Steel Specula....40-43
Stainless Steel Tenacula....53

Fertility and Family Planning
Fertility Assessment....68
H/S Catheter....69
H/S Elliptosphere Catheter....68

Fetal Monitors
F9....73
Fetal 2EMR....73

Forceps
LEEP....24
Stainless Steel....54-56

General Examination: Diagnostic Disposables
Breast Aspiration Dual-Port Biopsy Needle....63
Cervical and Endocervical Samplers....62-63
Milex Cervical Spatulas....62
Word Catheter....63

Gynecological Specialty Instruments
Euro-Med Stainless Steel Dilators....48-49
Endometrial Curettes....51
Euro-Med Stainless Steel Endocervical Curettes....50
Euro-Med Stainless Steel Endocervical Specula....44-45
Euro-Med Stainless Steel Hooks....52
Euro-Med Stainless Steel Specula....40-43
Euro-Med Stainless Steel Forceps....54-56
Euro-Med Lateral Wall Retractors....46
Euro-Med Stainless Steel Uterine Sounds....48

H/S Catheters....69

H/S Elliptosphere Catheter....68

Hooks
LEEP....24-25
Stainless Steel....52

Hysteroscopy
Endosee® Advance....6-7

Lateral Wall Retractors
LEEP....22
Stainless Steel....46

LEEP
Accessories....18-19
Electrodes....14-15
Endocervical Specula....25
Fischer Cone Biopsy Excisor....16
Forceps....24
Hooks....24-25
Lateral Wall Retractors....22
LEEP PRECISION™ Integrated System....12-13
Procedure Essentials....17
Retractors....22
Rulers....25
Tenacula....24
Tubing....18-19
Vaginal Specula....20-21
Wallach® Quantum 2000 Accessories....26-27

LEISEGANG
Colposcopy....28-31
LM-900 Cryosurgery System....64-65

Lighted Specula – Vaginal and Anal
ER-Spec™....34
Her-Spec®....34
OfficeSpec®....35
Anospec®....35

Milex
Dilators....62
Pessaries....8-11

Needle Holders....56

Needles
Potocky Needle....17
Biopsy Needle....63

Obstetrical Care....73-75

Ophthalmic Cryosurgery....82

Pessaries: See Urinary Incontinence

Paragard....70-71

Pipelle....58

Pipet Curet....58

Retractors
LEEP....22
Stainless Steel....42, 46

Scissors – Stainless....57

Sounds....48, 61

Specula
Dimensions....42-43
LEEP....20-21
Stainless Steel....40-41
ER-Spec™....34
Her-Spec®....34
OfficeSpec®....35
Anospec®....35

Tenacula
LEEP....24
Stainless Steel....53

Tubing
Smoke Evacuator Tubing....18
Tubing Set....19

Urinary Incontinence
Milex Pessaries....8-11

Uterine Infusion Catheters
H/S Catheters....69
H/S Elliptosphere Catheter....68

Uterine Sounds
Stainless Steel....48
Disposable....61

Committed to Our Customers

At CooperSurgical, we strive for the highest level of expertise and knowledge of our products and to develop an ongoing relationship with each of our customers that is built on trust, quality and consistency. We look to provide service that exceeds not only our customers' expectations, but industry standards as well. CooperSurgical's Customer Service Department provides full-service order entry with extended hours to facilitate order placement. As an added convenience we also now offer online order entry. Call now to have your Customer Service Representative set up your account today. Once you are registered for online ordering, you will be able to place orders, track shipments, review prior purchase history and schedule orders for future delivery.

CE Available for sale where CE mark is required
CA Available for sale in Canada

CE and CA labeling is subject to change. Contact Customer Service or your local sales representative for the most up-to-date information.

5 Ways to Order

Local Sales Representative
www.coopersurgical.com/pages/salesrepsearch.aspx

Email
U.S.: Orders@coopersurgical.com
Int'l: InternationalCustomerservice@coopersurgical.com

E-Ordering (U.S. Only)
Call 800.243.2974 to set up your account today.

Phone Orders
800.243.2974 (8:00 AM - 8:30 PM EST)
Int'l: 203.601.9818

Fax Orders
800.262.0105 (24 hours a day)
Int'l: 203.601.4747

Warranty Information

CooperSurgical, Inc. ("CooperSurgical") warrants that its products offered in this catalog, **other than** single-use products and consumables, will be free from defects in materials and workmanship for one year from the date of purchase.

CooperSurgical warrants that its single-use products and consumables offered in this catalog will, through the earlier of 90 days from the date of purchase of each such product and the expiration date of that product stated on that product's package, be free from defects in materials and workmanship that are discovered prior to or during the single use of that product.

If CooperSurgical determines that a product offered in this catalog fails to conform to the CooperSurgical warranty applicable to that product, CooperSurgical will, as the sole remedy for that failure to conform, repair or replace that product, at CooperSurgical's discretion, free of charge.

To return a product to CooperSurgical, a customer must comply with CooperSurgical's Returned Goods Policy described in this catalog. A customer will not have any remedy if a CooperSurgical product does not conform to the warranty for that product unless that product is returned to CooperSurgical in accordance with that Returned Goods Policy. CooperSurgical will ship returned products that it repaired or replaced under warranty to the customer who returned those products, at CooperSurgical's expense F.O.B. the customer's facility. Under all other circumstances, CooperSurgical will ship returned products to the customer who returned those products at the customer's expense F.O.B. CooperSurgical's facility.

CooperSurgical's warranties, including those in this catalog, do not cover damage caused by misuse, improper care, improper use of chemicals or cleaning methods, loss, theft, servicing or sharpening by non-authorized personnel or negligent or intentional conduct on the part of the owner or user of the product. CooperSurgical's warranties do not cover normal wear and tear or general maintenance, including cleaning and sharpening services required as a result of normal use. Any modifications or changes to a product will void that product's warranty.

THE ABOVE WARRANTIES ARE IN LIEU OF, AND COOPERSURGICAL HEREBY DISCLAIMS, ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WRITTEN OR ORAL, WITH RESPECT TO COOPERSURGICAL'S PRODUCTS, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO TERMS, CONDITIONS, UNDERSTANDINGS OR AGREEMENTS THAT PURPORT TO MODIFY THE ABOVE WARRANTIES OR THAT MAKE ANY ADDITIONAL WARRANTIES FOR ANY COOPERSURGICAL PRODUCT SHALL HAVE ANY LEGAL EFFECT UNLESS MADE IN WRITING AND SIGNED BY AN AUTHORIZED COOPERSURGICAL CORPORATE OFFICER.

COOPERSURGICAL SHALL NOT UNDER ANY CIRCUMSTANCES BE LIABLE FOR LOST PROFITS, DAMAGES FROM LOSS OF USE OR LOST DATA, OR INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES UNDER ITS WARRANTIES OR OTHERWISE FOR ANY CLAIM RELATED TO COOPERSURGICAL'S PRODUCTS, EVEN IF COOPERSURGICAL HAS BEEN ADVISED, KNEW OR SHOULD HAVE KNOWN OF THE POSSIBILITY OF SUCH DAMAGES. COOPERSURGICAL'S LIABILITY WITH RESPECT TO A PRODUCT COVERED BY A WARRANTY OR OTHERWISE SHALL BE LIMITED IN ALL CIRCUMSTANCES TO THE PURCHASE PRICE OF THAT PRODUCT.

Returned Goods Policy

1. **Goods will be accepted for return for the following reasons:**
   - If shipment was made without Customer's authorization or order
   - If incorrect goods were shipped
   - If defective goods are covered by the standard warranty
2. To return goods, you must contact a Customer Service Representative by telephone (1.800.243.2974 or 1.203.601.5200) for a Returned Merchandise Authorization (RMA) number. Items will not be accepted without an RMA number.
   Please have the following information:
   - Reason you wish to return the goods
   - Quantity, description, part number, serial number of the goods
   - Date of Receipt of Order
   - Customer's Purchase Order and the CooperSurgical Invoice Number

   All used instruments must be cleaned and sterilized prior to being shipped for return.
3. Shipment must be sent prepaid by Customer. Freight collect shipments will not be accepted, and goods will be returned to sender.
4. If Customer intends to return equipment ordered in error, the following restocking charges and terms will apply:
   - There is no restocking fee if goods are returned within 30 days of shipment
   - There is a restocking fee of 25% if goods are returned before 31-60 days of shipment
   - Goods must be returned unused, in the original carton, and in marketable condition
   - Refurbishing and replacement charges will be added to the restocking charges for damaged or missing items
   - No return after 60 days
   - No refund on sterile, single-use disposable products

Send All Returns to: **CooperSurgical**
95 Corporate Drive
Trumbull, CT 06611

Trademark Notices

All trademarks are the property of their respective owners.

Endosee® Advance

Milex®

LEEP PRECISION™

Fischer Cone Biopsy Excisor®

Pipelle®

Leisegang™

ER-Spec®

Her-Spec®

Euro-Med®

H/S Elliptosphere®

Paragard® Intrauterine Copper Contraceptive

Cord Blood Registry℠

Wallach®

CooperSurgical®

800.243.2974
www.coopersurgical.com
95 Corporate Drive, Trumbull, CT 06611

© 2026 CooperSurgical, Inc. All Rights Reserved. C-US-CSI-000041 06/2026